

## 1. Introduction

- Spiking Neural Networks (SNNs) are neural networks inspired by biological neurons and can be described by two main behaviors:
  - They use spikes to communicate
  - They integrate their input spikes and fire at a specific threshold
- This makes SNNs biologically plausible, but difficult and expensive to train using standard backpropagation as spike events are non-differentiable [1].
- The **Forward-Forward (FF) algorithm** [2] is an alternative to backpropagation that trains each layer locally using two passes:
  - A **positive pass** with correct input-label pairs
  - A **negative pass** with incorrect input-label pairs
- FF's objective is to assign higher **goodness** score to positive samples and lower **goodness** to negative samples.

Forward-Forward goodness gap

Standard goodness function

$$G_{\Delta} = G(\mathbf{h}^{pos}) - G(\mathbf{h}^{neg})$$

$$G(\mathbf{h}) = \frac{1}{N} \sum_{i=1}^N C(\mathbf{h}_i)^2$$

- Problem:** Current FF-SNN methods only use aggregate spike-count activity as the goodness score [3], and ignore the inherent temporal properties of SNNs
- Goal:** We investigate whether temporal stability in neuron spiking can provide useful information for the FF training of SNNs.


## 2. ISI-CV

- Inter-Spike Interval Coefficient of Variation (ISI-CV)** is used to measure the temporal stability.
- It is used in both neuroscience [4] and computer science [5].

$$CV_{ISI} = \frac{\sigma(ISI)}{\mu(ISI)}$$

- At neuron level:
  - ISI is the time gap between two consecutive spikes.
  - ISI-CV is the variance between consecutive time gaps.

- What does this mean ?**



## 3. Research Questions

The main research question is broken into multiple sub-questions that are each tested in a series of experiments. **Can temporal spike stability, measured using ISI-CV, improve Forward-Forward learning in Spiking Neural Networks?**


- Does direct ISI-CV optimization improve FF-SNN learning?  
**Check:** add an ISI-CV term to objective during training.
- Can ISI-CV identify stable neurons that should be protected during training?  
**Check:** use ISI-CV to select neurons to protect during training.
- Do FF trained SNNs already contain temporal stability information useful for classification, and can ISI-CV extract it?  
**Check:** apply candidate scoring based on ISI-CV at classification.

## 4. Methods & Results

### (1) Direct optimization


We test 3 methods of incorporating ISI-CV into the FF's objective. First 2 modify the goodness function, while the third adds a new separate objective to loss computation.

$$\widehat{G}^{pos} = G(\mathbf{h}^{pos}) - \lambda \rho CV_{ISI}^{pos}$$




$$\widehat{G}^{pos} = G(\mathbf{h}^{pos}) - \lambda \rho CV_{ISI}^{pos}$$

$$\widehat{G}^{neg} = G(\mathbf{h}^{neg}) - \lambda \rho CV_{ISI}^{neg}$$




$$L = L_{FF} + \lambda L_{CV}$$




### (2) Neuron protection

We test 2 methods of neuron protection mechanisms based on ISI-CV. First one fully freezes a subset of neurons, while the second one uses an ISI-CV based ranking to apply a soft freezing factor.

$$w_{j,i} \leftarrow w_{j,i} - \eta z_i \frac{\partial L}{\partial w_{j,i}}$$



$$f_i = p_{min} + (1 - p_{min}) \frac{\text{rank}(v_i)}{n - 1}$$




### (3) Candidate scoring

We test a method where class-specific temporal fingerprints are built from the most stable neurons and are used to create a candidate score for each label.

$$F_q = \text{BottomK}(CV_{ISI})$$

$$cs(x, q) = \frac{1}{K} \sum_{n \in F_q} CV_{ISI,n}^{(x,q)}$$



## 5. Conclusions

- Direct ISI-CV optimization does not reliably improve FF-SNN learning.** Adding ISI-CV directly to the training objective conflicts with the Forward-Forward goodness objective and destabilizes training.
- ISI-CV is useful as a plasticity-control signal.** Protecting temporally stable neurons during training improves or preserves accuracy, suggesting that low-ISI-CV neurons contain important learned representations.
- FF-trained SNNs already contain class-specific temporal stability information.** ISI-CV-based candidate scoring performs well above chance, showing that spike timing contains useful information.
- Overall, temporal spike stability can help Forward-Forward SNNs but not as a direct objective.** ISI-CV is most useful for identifying stable neurons and extracting temporal structure from already trained networks.

## 6. Future Work

- Test ISI-CV and alternatives on spike-based datasets, with richer temporal dynamics.
- Evaluate how much ISI-CV plasticity helps in the training process and evaluate it on larger SNN architectures and datasets.
- Evaluate how neuron parameters and input encoding affect temporal stability.
- Develop direct methods that use temporal stability without destabilizing FF training.

## 7. References

- Rongguang Ye, Chenhao Ye, Chao Huang, Ming Tang, and Yunhao Liu. Beyond-backpropagation training: Methods, applications, and perspectives. TechRxiv, 2026(0103), 2026. doi: 10.36227/techrxiv.176740426.63642005/v1. URL <https://www.techrxiv.org/doi/abs/10.36227/techrxiv.176740426.63642005/v1>.
- Geoffrey Hinton. The forward-forward algorithm: Some preliminary investigations, 2022. URL <https://arxiv.org/abs/2212.13345>.
- Mohammadnavid Ghader, Saeed Reza Kheradpisheh, Bahar Farahani, and Mahmood Fazlali. Backpropagation-free spiking neural networks with the forward-forward algorithm, 2025. URL <https://arxiv.org/abs/2502.20411>.
- Zilin Wang, Ao Li, Guihua Xiao, Xingzheng Gu, Zhilei Wang, Shuting Guo, Rujin Zhang, Chaowei Zhuang, and Jiangbei Cao. Unbiased segmentation and multifeature classification of cortical neuronal activity reveals complex dynamics under anesthesia. Neuroscience Bulletin, 42(3):491–504, 2026. ISSN 1995-8218. doi: 10.1007/s12264-025-01527-9. URL <https://doi.org/10.1007/s12264-025-01527-9>.
- Samrendra Roy, Kazuma Kobayashi, Souvik Chakraborty, Sajedul Talukder, and Syed Bahauddin Alam. Gradient-free continual learning in spiking neural networks via inter-spike interval regularization, 2026. URL <https://arxiv.org/abs/2604.16496>. Gen AI was used to design the drawing from ISI-CV chapter.